

AMENDMENTS

In the Claims

1. (Original) An information handling system comprising:
information processing components configured to output audio and visual information to
a PCI Express interface;
a graphics card having a PCI Express interface in communication with the audio and
visual information output by the information processing components and an
audiovisual appliance interface operable to output audiovisual information to an
audiovisual appliance;
a graphics controller coupled to the graphics card and operable to process visual
information of the information processing components for output to the
audiovisual appliance interface;
audio processing components coupled to the graphics card and operable to process audio
information of the information processing components for output to the
audiovisual appliance interface;
a PCI Express switch coupled to the graphics card, the PCI Express switch disposed
between the PCI Express interface, the graphics controller and the audio
processing components, and operable to switch visual information from the PCI
Express interface to the graphics controller and audio information from the PCI
Express interface to the audio processing components.
2. (Original) The information handling system of Claim 1 wherein the audio
processing components comprise:
an AC97 interface operable to accept the audio information from the PCI Express switch
for output to a CODEC; and
a CODEC operable to accept the audio information from the AC97 interface and to
output the audio information to the audiovisual appliance interface.

3. (Original) The information handling system of Claim 1 wherein the audio processing components comprise an audio controller operable to accept the audio information from the PCI Express switch and to output the audio information to the audiovisual appliance interface.

4. (Original) The information handling system of Claim 1 wherein the audiovisual appliance interface comprises a coaxial cable output.

5. (Original) The information handling system of Claim 1 wherein the audiovisual appliance interface comprises a HDMI output.

6. (Original) The information handling system of Claim 1 wherein the audiovisual appliance interface comprises a HDTV output.

7. (Original) The information handling system of Claim 1 wherein the audiovisual appliance interface comprises an EVC output.

8. (Original) The information handling system of Claim 1 wherein the audiovisual appliance interface comprises a 1394 output.

9. (Original) A method for processing audio information through a PCI Express graphics card, the method comprising:

generating audiovisual information at an information processing system;

communicating the audiovisual information to a PCI Express interface of the PCI Express graphics card;

switching the audiovisual information with a PCI Express switch so that the audio information is communicated to audio processing components and the video information is communicated to video processing components;

processing the audio and visual information with the audio and video components to output an audiovisual appliance signal.

10. (Original) The method of Claim 9 wherein the audio processing components comprise:
an AC97 interface operable to accept the audio information from the PCI Express switch for output to a CODEC; and
a CODEC operable to accept the audio information from the AC97 interface and to output the audio information to the audiovisual appliance interface.
11. (Original) The method of Claim 9 wherein the audio processing components comprise an audio controller operable to accept the audio information from the PCI Express switch and to output the audio information to the audiovisual appliance interface.
12. (Original) The method of Claim 9 wherein the audiovisual appliance signal comprises a coaxial cable signal.
13. (Original) The method of Claim 9 wherein the audiovisual appliance signal comprises a HDMI signal.
14. (Original) The method of Claim 9 wherein the audiovisual appliance signal comprises a HDTV signal.
15. (Original) The method of Claim 9 wherein the audiovisual appliance signal comprises an EVC signal.
16. (Original) The method of Claim 9 wherein the audiovisual appliance signal comprises a 1394 signal.
17. (Original) A PCI Express graphics card comprising:
a PCI Express interface operable to accept audio and visual information communicated in PCI Express format;

a PCI Express switch in communication with the PCI Express interface and operable to switch audio information to audio processing components and video information to video processing components;

audio processing components in communication with the PCI Express switch and operable to process the audio information to output an audiovisual appliance signal;

video processing components in communication with the PCI Express switch and operable to process the video information to output an audiovisual appliance signal; and

an audiovisual interface in communication with the audio processing components and the video processing components and operable to communicate the audiovisual appliance signal to an audiovisual appliance.

18. (Original) The PCI Express graphics card of Claim 17 wherein the audio processing components comprise:

an AC97 interface operable to accept the audio information from the PCI Express switch for output to a CODEC; and

a CODEC operable to accept the audio information from the AC97 interface and to output the audio information to the audiovisual interface.

19. (Original) The PCI Express graphics card of Claim 17 wherein the audio processing components comprise an audio controller operable to accept the audio information from the PCI Express switch and to output the audio information to the audiovisual interface.

20. (Original) The PCI Express graphics card of Claim 17 wherein the audiovisual interface comprises a single connector having audio and visual information.

21. (Original) The PCI Express graphics card of Claim 17 wherein the audiovisual interface comprises an audio connector having audio information and a video connector having visual information.